

**Table E-3. Crop Rotation Planting Restrictions: Months After Herbicide Application Until Planting New Crop**

This table summarizes the crop rotation planting restrictions after certain herbicide applications have been made. **For example**, if Devrinol was applied to tomatoes, planting sweet corn must be delayed for 12 months after the Devrinol application. **Consult the label** for a different time interval if two or more herbicides were applied in the same season. The label may also mention additional restrictions due to rainfall, soil, pH, geographical region, variety, or application rate. **This table is not a substitute for the label!** Abbreviations: AH=after harvest, B=bioassay of soil recommended before planting, NI=no information, NR=no restrictions, NS=next season, NY=next year, SY=second year following application.

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Corn, field	Corn, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
2,4-D <sup>1</sup>	3	1	3	3	3	0.25-1	1	3	3	3	3	3	1	3	1	1	0.25-1 <sup>1</sup>	3	3	3	1
Accent/Accent Q	10 <sup>1</sup>	4	10-18 <sup>1</sup>	10	10 <sup>2</sup>	NR	10	10 <sup>2</sup>	10 <sup>2</sup>	10 <sup>2</sup>	10	10 <sup>2</sup>	10 <sup>1</sup>	10 <sup>2</sup>	4	10-18 <sup>1</sup>	0.5	10 <sup>2</sup>	10 <sup>2</sup>	10 <sup>2</sup>	4
Acuron	18	4	18	18	18	NR	NR	18	18	18	18	18	10	18	4	10	10	18	18	18	4
Acuron Flexi <sup>23</sup>	10	4	18	18	18	NR	NR	18	18	18	18	18	10	18	4	10	10	18	18	18	4
Afforia (2.5 oz)	4 <sup>24</sup>	3	4 <sup>24</sup>	3	4 <sup>24</sup>	0.5 <sup>24</sup>	3	4 <sup>24</sup>	4 <sup>24</sup>	4 <sup>24</sup>	3	4 <sup>24</sup>	4 <sup>24</sup>	4 <sup>25</sup>	3	1	NR <sup>24</sup>	4 <sup>24</sup>	4 <sup>24</sup>	4 <sup>24</sup>	1 <sup>24</sup>
Aim	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Anthem Maxx (4.87 oz)	10	11 <sup>25</sup>	11	11	18	NR	NR	18	18	18	11	18	4	18	11 <sup>25</sup>	10 <sup>25</sup>	NR	18	18	18	4 <sup>25</sup>
Armezon/Impact (0.75 oz)	9	3	9	9	18	NR	NR	18	18	18	9	18	9	18	3	9	9	18	18	18	3
Armezon PRO (16-20 fl oz/A)	9	4	9 <sup>3</sup>	9 <sup>3</sup>	18	NR	NR	18	18	18	9 <sup>3</sup>	18	9	18	4	9	9	18	18	18	4
Assure II	4	4	4	NR	4	4	4	4	4	4	NR	4	4	4	4	4	NR	4	4	4	4
Atrazine	SY	NY	SY	SY	SY	NR	NR	SY	SY	SY	SY	SY	SY	SY	NY	NR	NY	SY	SY	SY	NY
Authority Elite/BroadAxe XC	12	4.5	12B	12B	2 <sup>9</sup>	4	12	12B	12B	12B	8	12B	4	12B	4.5	10	NR	12B	4	12B	4.5
Authority First/Sonic	12	12	12	12	30B	10-18 <sup>1</sup>	10-18 <sup>1</sup>	30B	30B	30B	9	30B	18	30B	12	12	NR	30B	30B	30B	4
Authority MTZ	12	4	18	18	18	10	18	18	18	18	18	18	12	18	4	12	NR	18	NR <sup>9</sup>	18	4
Authority Supreme	12	11 <sup>1</sup>	9	9	18 <sup>9</sup>	4	10	18	18	18	9	18	4	18	11 <sup>1</sup>	10 <sup>1</sup>	NR <sup>1</sup>	18	18	18	4 <sup>1</sup>

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Corn, field	Corn, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
Authority XL	12–18 <sup>1</sup>	4	36	36	18	10–18 <sup>1</sup>	18	18	36	36	36	36	36	18	4	10–18 <sup>1</sup>	NR	36	12–18 <sup>1,9</sup>	18	4
Autumn Super <sup>1</sup>	18B	9	18B	18B	18B	1	9	18B	18B	18B	18B	18B	18B	18B	18B	18B	2	18B	18B	18B	3
Axial Bold	3	NR	3	3	1	3	3	3	3	1	3	3	1	3	3	3	3	3	3	3	NR
Axial Star	4	NR	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	NR
Axial XL	3	NR	3	3	1	3	3	3	3	1	3	3	1	3	3	3	3	3	3	3	NR
Axiom	12	12	12B	12B	12B	NR	12B	12B	12B	18	12B	12B	1	12B	12	12	NR	12B	12B	12B	0.23–4
Balance Flexx <sup>1</sup>	10 <sup>1</sup>	6	18	18	18	NR	6	18	18	18	18	18	6	18	4	6	6	18	18	18	4
Banvel	AH	1 <sup>5</sup>	AH	AH	AH	NR	AH	AH	AH	AH	AH	AH	AH	AH	1 <sup>5</sup>	NR	1 <sup>5</sup>	AH	AH	AH	1 <sup>5</sup>
Basagran	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Basis	10 <sup>6</sup>	3	18	10	18	NR	10	10	18	18	10	18	NR	18	3	10 <sup>6</sup>	10 <sup>6</sup>	18	1	18	3
Basis Blend <sup>6</sup>	10 <sup>6</sup>	3	18	10	18	NR	10	10	18	18	10	18	1	18	3	10 <sup>6</sup>	10 <sup>6</sup>	18	1	18	3
Beyond	3	9	NR	NR	9	8.5 <sup>8</sup>	8.5	9	9	9	NR	9	9	9	4	9	NR	9	9	9	3 <sup>8</sup>
Bicep products	SY	NY	SY	SY	SY	NR	NY	SY	SY	SY	SY	SY	SY	SY	NY	NR <sup>10</sup>	NY	SY	SY	SY	NY
Boundary	4.5	4.5	12	12	12	4	4	12	12	18	8	12	NR	12	12	12	NR	12	12	12	4.5
Buctril/Maestro	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cadet	AH	AH	AH	AH	AH	NR	NR	AH	AH	AH	AH	AH	AH	AH	AH	AH	NR	AH	AH	AH	AH
Callisto	10	4	18	10 <sup>1</sup>	18	NR	NR	18	18	18	10 <sup>1</sup>	18	10	18	4	NR	10	18	18	18	4
Callisto Xtra	NY	NY	18	18	18	NR	NR	18	18	18	18	18	NY	18	18	NR	NY	18	18	18	NY
Canopy <sup>1</sup>	10	4	30	12	18	10	18	18	30	30	12	30	30	18	4	12	NR	30	10 <sup>9</sup>	18	4

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Com, field	Com, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
Canopy Blend	10	4	30	18	18	10 <sup>26</sup>	18	18	30	30	12	30	30	18	30	18	NR	30	10 <sup>9</sup>	18	4
Canopy EX	10	4	30	12	18	10 <sup>1</sup>	18	18	30	18 <sup>1</sup>	12	30	18 <sup>1</sup>	18	4	10 <sup>1</sup>	0.25 <sup>1</sup>	30	10 <sup>9</sup>	18	4
Caparol	12	12	12	12	5	5	5	12	12	8	5	12	12	12	12	12	12	12	12	12	12
Capreno <sup>1</sup>	10-18	10	18	18	18	NR	10	18	18	18	18	18	18	18	18	10	10	18	18	18	4
Chaparral	SYB	NY	SYB	SYB	SYB	NY	SYB	SYB	SYB	SYB	SYB	SYB	SYB	SYB	NY	NY	SYB	SYB	SYB	SYB	NY
Chateau (up to 3 oz) <sup>11</sup>	5 <sup>11</sup>	4	12B	4	12B	0.5-1	4	12B	12B	12B	4	12B	5 <sup>11</sup>	12B	4	1 <sup>1</sup>	NR	12B	12B	12B	2
Cimarron Max/metsulfuron <sup>1</sup>	12 <sup>1</sup>	10	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	NYB	1
Cimarron Plus	4	10	B	B	B	12 <sup>1</sup>	B	B	B	B	B	B	B	B	NYB	B	12 <sup>1</sup>	B	B	B	1
Clarity	4	0.5-1.5 <sup>5</sup>	4	4	4	NR	4	4	4	4	4	4	4	4	0.5-1.5 <sup>5</sup>	NR	0.5-1 <sup>5</sup>	4	4	4	0.5-1.5 <sup>5</sup>
Classic <sup>1</sup>	12	3	30	9	18	9	18	18	30	30	9	30	30	18	3	9	NR	30	10 <sup>9</sup>	18	3
Cobra	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Command	12	12	12	9	9	9	9	9	9	12	NR <sup>1</sup>	NR	9	NR <sup>1</sup>	12	9	NR	NR <sup>1</sup>	9 <sup>9</sup>	9	12
Corvus	17	9	17B	17	17B	NR	9	17B	17B	17B	17B	17B	17	17B	4	17B <sup>1</sup>	9	17B	17B	17B	4
Crossbow <sup>30</sup>	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
Curbit	AH	AH	AH	AH	AH	AH	AH	NR	NR	AH	AH	AH	AH	NR	AH	AH	NR	NR	AH	NR	AH
Curtail	10.5-18 <sup>1</sup>	1	10.5B	10.5B	10.5-18 <sup>1</sup>	1	10.5-18 <sup>1</sup>	10.5B	10.5B	10.5-18 <sup>1</sup>	18	10.5B	18	10.5B	10.5B	10.5-18 <sup>1</sup>	10.5-18 <sup>1</sup>	10.5B	10.5B	10.5B	1
Dacthal	8	8	8	8	NR <sup>9</sup> /A H	8	8	8	AH	AH	8	AH	AH	8	8	8	8	8	AH	NR	8
Degree Xtra	SY	SY	SY	SY	SY	NR	NR	SY	SY	SY	SY	SY	SY	SY	SY	NR <sup>10</sup>	NY	SY	SY	SY	AH
Devrinol	12	6	12	12	NR	12	12	12	12	12	12	NR	12	12	6	12	12	12	NR	12	6

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Com, field	Com, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
DiFlexx	4	2	4	4	4	NR	4	4	4	4	4	4	4	4	4	2	2 <sup>1</sup>	4	4	4	2
DiFlexx Duo	10	4	18B	10	18B	NR	4	18	18	8/18 <sup>27</sup>	10	18B	10	18	4	10	8	18	10	18	4
Distinct <sup>1</sup>	1	1	4	4	4	0.25	4	4	4	4	4	4	4	4	1	1	1	4	4	4	1
Dual products	4	4.5	NR	NR	2 <sup>1</sup>	NR	NR	12	12	2 <sup>1</sup>	NR	2	NR	2 <sup>1</sup>	4.5	NR <sup>10</sup>	NR	12	2 <sup>1</sup>	12	4.5
Elevore	9	0.5	15B	15B	15B	0.5	15B	15B	15B	15B	9	15B	15B	15B	0.5	0.5	0.5	15B	15B	15B	0.5
Enlist Duo	NI	NS	NS	NS	NS	0.23–0.5 <sup>32</sup>	0.2–0.5	NS	NS	NS	NS	NS	NS	NS	NS	NS	1 <sup>32</sup>	NS	NS	NS	NS
Envive	10	4	30	12	18	10	18	18	30	30	12	30	30	18	4	12	NR	30	12 <sup>9</sup>	18	4
Eptam	NR	AH	AH	NR	AH	AH	AH	AH	AH	AH	AH	AH	NR	AH	AH	AH	AH	AH	AH	AH	AH
Evik	11	3	11	11	11	11	11	11	11	11	11	11	10	11	3	11	11	11	11	11	3
Expert	SY	NY	SY	SY	SY	NR	NY	SY	SY	SY	SY	SY	SY	SY	NY	NR <sup>10</sup>	NY	SY	SY	SY	NY
Extreme	4	4	NR	2	18	8.5 <sup>8</sup>	18	18	18	40B	NR	189/40B	26	40B	4	18	NR	40B	18 <sup>9</sup> /40B	18	3
Facet L	24B	10	10	10	10	10	10	10	10	10	24B	24B	24B	10	10	NR	10	10	24B	10	NR
Fierce	10	11–12 <sup>1</sup>	11	11	18	0.25–1 <sup>1</sup>	18	18	18	18	11	18	4	18	11–12 <sup>1</sup>	18	NR	18	18	18	1–2 <sup>1</sup>
Fierce XLT <sup>1</sup>	18	18	18–30	18–30	18–30	10–18	18–30	18–30	18–30	18–30	18–30	18–30	18–30	18–30	18	18	NR	18–30	18 <sup>9</sup>	18–30	4
Finesse Cereal and Fallow (0.4 oz)	B	10–16 <sup>1</sup>	B	B	B	18	B	B	B	B	B	B	10	B	0–4 <sup>1</sup>	4–18 <sup>1</sup>	18 <sup>14</sup>	B	B	B	0–4 <sup>1</sup>
FirstRate	9	12	9	9	18	9	18	18	18	18	9	18	18	18	18	9	NR	18	18	18	4
Flexstar/Flexstar GT	18	4	4	NR	18	10	10	12	12	18	4	10 <sup>9</sup> /12	NR	10	4	18	NR	12	10 <sup>9</sup> /12	10	4
FulTime/Keystone	15	15	SY	SY	SY	NR	NR	SY	SY	SY	15	SY	15	SY	15	NY	NY	SY	SY	SY	15

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Com, field	Com, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
Fusilade/Fusion	2	2	2	1	2	2	2	2	2	NR	1	1	2	1	2	2	NR	2	2	2	2
Glyphosate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Goal/GoalTender	2	10	1-2	2	1	10	10	2	2-3 <sup>1</sup>	4 <sup>1</sup>	2	1 <sup>9</sup>	2	2	10	10	0.25	3	1 <sup>9</sup>	1-2 <sup>1</sup>	10
Gramoxone/paraquat	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
GrazonNext HL	24B	12	24B	24B	24B	12	12	24B	24B	24B	24B	24B	24B	24B	12	24B	24B	24B	24B	24B	12
Grazon P+D	B	2	B	B	B	B	B	B	B	B	B	B	B	B	2	8	B	B	B	B	2
Halex GT	10	4.5	18	10 <sup>1</sup>	18	NR	NR	18	18	18	10 <sup>1</sup>	18	10	18	4.5	NR <sup>10</sup>	10	18	18	18	4.5
Harmony Extra SG	1.5	NR	1.5	1.5	1.5	0.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.5	0.25	1.5	1.5	1.5	NR
Harmony SG	1.5	NR	1.5	1.5	1.5	NR	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	NR	NR	1.5	1.5	1.5	NR
Harness	9	NS	SY	NS	SY	NR	NR	SY	SY	SY	NS	SY	NS	SY	NS	NR <sup>10</sup>	NS	SY	SY	SY	4
Harness Max	10	NY	18	18	18	NR	18	18	18	18	18	18	18	18	NY	NR <sup>10</sup>	10	18	18	18	4
Harness Xtra	SY	SY	SY	SY	SY	NR	NR	SY	SY	SY	SY	SY	SY	SY	SY	NS	NS	SY	SY	SY	SY
Hornet/Stanza	10.5 <sup>1</sup>	4	10.5 <sup>1</sup>	18 <sup>16</sup>	26B	NR	18 <sup>16</sup>	26B	26B	26B	18 <sup>16</sup>	26B	18	26B	4	12	10.5	26B	26B	26B	4
Huskie	4 <sup>1</sup>	0.25	1	9	1	4	1	1	1	9 <sup>1</sup>	9	1	9	1	1	0.25	4	1	1	1	0.25
Karmex	24	24	24	24	24	NY	24	24	24	24	24	24	24	24	24	NY	24	24	24	24	24
Kerb <sup>1</sup>	NR	12	3-	3-4	3-6	12	12	3-6	3-6	3-6	3-4	3-6	3	3-6	12	12	3-4	3-6	3-6	3-6	12
Keystone NXT	SY	15	SY	18	18	NR	NR	18	18	18	SY	18	SY	18	15	NY	NY	18	18	18	15
Laudis	10	4	18	10	18	NR	NR	18	18	8 <sup>1</sup>	10	18	10	18	4	10	8	18	10	18	4
LeadOff (1.5 oz)	10	3	18	10	18	NR	10	10	18	18	10	18	1	18	3	10	1 <sup>1</sup>	18	1	18	3
Lexar/Lexar EZ	18	NY	18	18	18	NR	NR	18	18	18	18	18	18	18	NY	NR <sup>10</sup>	NY	18	18	18	NY

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Com, field	Com, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter	
Liberty	6	2.3	6	6	2.3	NR	NR	6	6	2.3	NR	6	2.3	6	2.3	6	NR	6	6	18	2.3	
Lightning	9.5	9.5	9.5	9.5	40B	8.5 <sup>s</sup>	18	40B	40B	40B	9.5	40B	26	40B	4	18	9	40B	40B	40B	4	
Lorox/Linex	4	12	4	4	4	NR <sup>1</sup>	4	4	4	4	4	4	NR <sup>1</sup>	4	4	NR <sup>1</sup>	NR <sup>1</sup>	4	4	4	4	
Lumax/Lumax EZ	18	4.5	18	18	18	NR	NR	18	18	18	18	18	18	18	4.5	NR <sup>10</sup>	NY	18	18	18	4.5	
Marvel	18	4	18	NR	18	10	18	18	18	18	10	4 <sup>9</sup>	NR	18	4	18	NR	18	4 <sup>9</sup>	18	4	
Matrix	4	12	10	10	12	NR	10	10	18	10	8	12	NR	12	12	18	4	18	NR	12	4	
Metribuzin	4	4 <sup>1</sup>	18	18	18	4	4	18	18	18	8	18	12	18	18	18	4	18	4	18	4 <sup>1</sup>	
Milestone	24B	12	24B	24B	24B	12	24B	24B	24B	24B	24B	24B	24B	24B	12	24B	24B	24B	24B	24B	24B	12
Optill <sup>1</sup>	4	9.5	4	4	40B	8.5 <sup>s</sup>	18	18	40B	40B	4	18	26	40B	4-18	18	0-1	40B	18	40B	4 <sup>8</sup>	
Osprey	10	1	10	10	10	3	10	10	10	10	3	10	10	10	10	3	3	10	10	10	0.25	
Outlook <sup>1</sup>	4-6	4	6-9	6-9	6-9	NR	NR	6-9	6-9	6-9	4	6-9	6-9	6-9	4	NR <sup>10</sup>	NR	6-9	6-9	6-9	4	
Outrider	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	3B	NR
Overdrive	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
PastureGard	NI	4	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	4
Peak (0.25 oz) <sup>1</sup>	22	NR	22	10	22	1 <sup>8</sup>	10	22	22	22	10	22	22	22	NR	1	10	22	22	22	NR	
Permit	9	2	NI	2	15	1 <sup>8</sup>	3	2	9	18	9	10	9	9	2	2	9 <sup>1</sup>	9	2	9	2	
Permit Plus	9	2	NI	2	15	1	3	2	9	18	9	10	9	9	2	2	9 <sup>1,14</sup>	9	2 <sup>9</sup>	9	2	
Poast	NR	30	NR	NR	NR	30	30 <sup>33</sup>	NR	NR	NR	NR	NR	NR	NR	30	30	NR	NR	NR	NR	30	
PowerFlex HL	9	9	12	12	12	9	9	12	12	12	9	12	9	12	12	9	3 <sup>1</sup>	12	12	12	1	
Prefar <sup>1</sup>	4	4	4	4	NR	4	4	NR	NR	NR	4	NR	4	NR	4	4	4	NR	NR	NR	4	

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Com, field	Com, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
Prefix	18	4.5	4	NR	18	10	10	12	12	18	4	10 <sup>9</sup>	1	10	4.5	18	NR	12	10 <sup>9</sup>	10	4.5
Princep	SY	NY	SY	SY	SY	NR	NY	SY	SY	SY	SY	SY	SY	SY	NY	NY	NY <sup>17</sup>	SY	SY	SY	NY
Prowl H2O	6 <sup>1</sup>	4 <sup>1</sup>	NR	NR	NY	NR <sup>18</sup>	NR <sup>18</sup>	NY	NR	NY	NR	NR <sup>1</sup>	NR <sup>1</sup>	NY	NY	NY	NR	NR	NR <sup>1</sup>	NR	4 <sup>1</sup>
Pursuit <sup>1</sup>	4	4 <sup>1</sup>	NR	2	18	8.5 <sup>8</sup>	18	18	18	18	NR	18 <sup>9</sup>	18 <sup>1</sup>	40B	4	18	NR	40B	18 <sup>9</sup>	18	4
Python/Accolade	4	4	4	4 <sup>1</sup>	26B	NR	18 <sup>1</sup>	26B	26B	26B	4	26B	12	26B	4	12	NR	26B	26B	26B	4
Raptor	3	9 <sup>1</sup>	NR	NR	9	8.5 <sup>8</sup>	8.5	9	9	9	NR	9	9 <sup>1</sup>	9	4	9	NR	9	9	9	3
Realm Q	10	4	18	10 <sup>1</sup>	18	NR	10	18	18	18	10 <sup>1</sup>	18	10	18	4	10	10	18	18	18	4
Reflex	18	4	4	NR	18	10	10	12	12	18	4	10 <sup>9</sup>	NR	10	4	18	NR	12	10 <sup>9</sup>	10	4
Remedy Ultra <sup>30</sup>	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
Resicore	10.5 <sup>28</sup>	10.5 <sup>28</sup>	18	18	18	NR <sup>28</sup>	10.5	18	18	18	18	18	18	18	10.5 <sup>28</sup>	10.5 <sup>28</sup>	10.5 <sup>28</sup>	18	18	18	4
Resolve (1 oz)	10	18	18	10	18	NR	10	10	18	18	10	18	NR	18	18	10	10 <sup>14</sup>	18	1	18	3
Resolve Q (1.25 oz)	10	3	18	10	18	NR	10	10	18	18	10	18	NR	18	3	10	2 <sup>1</sup>	18	1	18	3
Resource	1	1	1	1	1	NR	1	1	1	1	1	1	1	1	1	1	NR	1	1	1	1
Revulin Q	10 <sup>1</sup>	4	18	18	18	NR	10 <sup>20</sup>	18	18	18	18	18	10 <sup>1</sup>	18	4	10 <sup>1</sup>	10	18	18	18	4
Ro-Neet	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH
Sandea	9	2	36	2	15	1 <sup>8</sup>	3	2	9	18	9	10	9	9	2	2	9 <sup>1</sup>	9	2	9	2
Scepter <sup>1</sup>	18	11	11	11	18	9.5 <sup>13</sup>	18	18	18	18	18	18	18	18	18	11	NR	18	18	18	3
Select/Select Max	NR	1	NR	NR	NR	0.2	1	NR	NR	NR	NR	NR	NR	NR	1	1	NR	NR	NR	NR	1
Sentrallas	4	NR	4	4	4	NR	4	4	4	4	4	4	4	4	4	NR	4 <sup>1</sup>	4	4	4	NR
Sequence	4	4.5	NR	NR	NY	NR	NI	NI	NI	NI	NR	NY	NY	NI	4.5	NR	NR	NI	6 <sup>1</sup>	NI	4.5

Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Com, field	Com, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
Sharpen (1 oz) <sup>1</sup>	4	NR	4	4	4	NR	0.5	4	4	4	NR	4	4	4	NR	NR	0-1	4	4	4	NR
Shieldex	9	3	12	9	9	NR	NR	9	9	12	9	12	9	9	3	9	9	9	9	9	3
Sierra <sup>1</sup>	24	9	24	24	24	11	24	24	24	24	11	24	9	24	24	24	9 <sup>14</sup>	24	24	24	NR
Sinbar	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
Solicam	16	24B	24B	24B	24B	24B	24B	24B	24B	24B	24B	24B	24B	24B	24B	24B	1.5-16 <sup>1</sup>	24B	24B	24B	24B
Sonalan	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	NR	AH	AH	AH	AH
Spartan	12	4	NR	12B	NR	10	18	12B	12B	12B	12B	12B	12B	12B	4	10 <sup>1</sup>	NR	12B	NR <sup>9</sup>	12B	4
Spartan Charge	12	4	12B <sup>1</sup>	12B	NR <sup>9</sup>	4	12	12B	12B	12B	12B	12B	4	12B	4	10 <sup>1</sup>	NR	12B	NR <sup>9</sup>	12B	4
Spin-Aid	AH	4	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	4	AH	AH	AH	AH	AH	4
Spirit	18	3	18	10	10	1 <sup>8</sup>	8	18	18	18	10	18	10	18	3	10	10	18	10	18	3
Spur	10.5	NR	10.5B	10.5B	NR	NR	NR	10.5	10.5B	10.5	18	10.5B	18	10.5B	10.5B	10.5	10.5-18	10.5B	10.5B	10.5B	NR
Starane Ultra	4	NR	4	4	4	NR	NR	4	4	4	4	4	4	4	NR	NR	4 <sup>31</sup>	4	4	4	NR
Status	1 <sup>5</sup>	1 <sup>5</sup>	4	4	4	0.25	4	4	4	4	4	4	4	4	1 <sup>5</sup>	1 <sup>5</sup>	1 <sup>5</sup>	4	4	4	1 <sup>5</sup>
Steadfast Q	10 <sup>1</sup>	4	10-18	10	18	NR	10 <sup>20</sup>	10-18	10-18	10-18	10	10-18	10 <sup>1</sup>	10-18	4	10-18	0.5	10-18	10-18	10-18	4
Stinger	10.5	NR	18B	18B	NR	NR	10.5	18B	18B	10.5	18B	18B	18B	18B	18B	10.5	10.5 <sup>1</sup>	18B	18B	18B	NR
Storm	3.3	1.5	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	1.5	3.3	NR	3.3	3.3	3.3	1.5
Stout	10 <sup>1</sup>	4	18	10	18	NR	10 <sup>20</sup>	18	18	18	10	18	10 <sup>1</sup>	18	4	10	0.5	18	18	18	4
SureStart/TripleFLEX	NY <sup>1</sup>	NY	26B	26B	26B	NR	18 <sup>1</sup>	26B	26B	26B	NY	26B	18	26B	NY	12	NY <sup>1</sup>	26B	26B	26B	4
Surpass NXT	9	NY	NY	NY	NI	NR	NR	NI	NI	NI	NY	NI	NY	NI	NY	NR <sup>10</sup>	NY	NI	NY	NI	4



Trade Name	Alfalfa	Barley, winter	Bean, lima	Bean, snap	Cabbage	Com, field	Com, sweet	Cucumber	Muskmelon	Onion	Peas	Pepper	Potato, white	Pumpkin	Rye, winter	Sorghum, grain	Soybean	Squash	Tomato	Watermelon	Wheat, winter
Surveil	10	30B	9	9	30B	9	18	30B	30B	30B	9	30B	18	30B	30B	9	NR	30B	30B	30B	3
Synchrony XP <sup>1</sup>	12	3	30	9	18	9	18	18	30	30	9	30	30	18	3	9	NR	30	9 <sup>9</sup>	18	3
Targa	4	NR	4	NR	4	4	4	4	4	4	NR	4	4	4	4	4	NR	4	4	4	NR
Tavium	6	4.5	6	6	6	4	4	12	12	6	6	6	6	6	4.5	6	1 <sup>1</sup>	12	6	12	4.5
Treflan	NR	NR	NR	NR	NR	NR	5	5	5	NR	NR	NR <sup>9</sup>	NR	5	NR	NR	NR	5	NR	5	NR
Trivence	10	4	30	30	18	10 <sup>1</sup>	18	18	30	30	12	30	30	18	30	18	NR	30	12 <sup>9</sup>	18	4
Ultra Blazer	3.3	1.5	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	1.5	3.3	NR	3.3	3.3	3.3	1.5
Valor (up to 3 oz)	5 <sup>11</sup>	4	6-12B	4	6-12B	0.5-1 <sup>1</sup>	4	6-12B	6-12B	6-12B	4	6-12B	5 <sup>11</sup>	6-12B	4	1	NR	12	6-12B	6-12B	2 <sup>11</sup>
Valor XLT <sup>22</sup>	12	4	18	12	18	10	18	18	18	18	12	18	18	18	4	10	NR	18	12-18 <sup>9</sup>	18	4
Varisto	3	9 <sup>29</sup>	NR	NR	9	8.5 <sup>29</sup>	8.5	9	9	9	NR	9	9 <sup>29</sup>	9	4	9	NR	9	9	9	3 <sup>29</sup>
Verdict	7	4	7	7	7	NR	NR	7	7	7	4	7	7	7	4	NR	NR	7	7	7	4
Vida	1	1 day	1 day	1 day	1 day	NR	1	1 day	1 day	1 day	1 day	1 day	NR	1 day	1 day	1 day	NR	1 day	1 day	1 day	NR
Warrant	9	NY	NY	NY	NI	NR	NY	NI	NI	NI	SY	SY	NY	SY	NY	NR <sup>10</sup>	NR	NI	NI	NI	4
Warrant Ultra	18	4	NY	NY	NI	10	10	NI	NI	NI	10	NI	NI	NI	4	18	NR	NI	NI	NI	4
XtendiMax <sup>1</sup>	4	1	4	4	4	NR	4	4	4	4	4	4	4	4	1	0.5 <sup>1</sup>	1	4	4	4	1
Yukon	9	2	NI	2	15	1 <sup>8</sup>	3	9	9	18	9	10	9	9	2	2	9 <sup>1</sup>	9	2 <sup>9</sup>	9	2
Zemax	18	4.5	18	18	18	NR	NR	18	18	18	18	18	NY	18	4.5	NR <sup>10</sup>	NY	18	18	18	4.5
Zeus XC	12	4	12B	12B	NR <sup>9</sup>	10	18	12B	12B	12B	12B	12B	12B	12B	4	10 <sup>1</sup>	NR	12B	NR <sup>9</sup>	12B	4
Zidua (3 oz or 5 fl oz) <sup>1</sup>	10	11	11	11	18	NR	NR	18	18	18	11	18	4	18	11	10	NR	18	18	18	4

<sup>1</sup> Read the label for additional restrictions due to application rate, timing, geographical region, rainfall, soil pH, tillage, variety, or supplemental labeling.

<sup>2</sup> 18 months with a soil pH > 6.5. At rates greater than 2.1 oz/A, a rotation interval of 30 months and a successful field bioassay are required.

<sup>3</sup> Rotation interval for lima bean is 18 months if Armezon PRO is applied at greater than 20 fl oz/A. Rotation interval for pea and snap bean is extended to 18 months if Armezon PRO is applied at greater than 25 fl oz/A.

<sup>4</sup> Cotton may be planted after 12 months where Authority Elite/BroadAxe was applied at rates less than 36 oz/A, Authority MTZ DF at rates less than 17 oz/A, or Authority First/Sonic at rates less than 5 oz/A and the following conditions are met: medium and fine soils, pH < 7.2, and rainfall or irrigation must exceed 15 inches after herbicide application and prior to planting cotton.

<sup>5</sup> Following application of Banvel/Clarity and a minimum of 1 inch of rainfall or overhead irrigation, a waiting interval of 21 days is required per 8 fluid ounces per acre applied prior to planting cotton, 30 days per pint restriction for soybean, and 20 days per pint restriction for small grains. If less than 1 inch of rainfall or irrigation is received after application and Status is applied at greater than 5 oz/A, the rotation interval is 4 months.

<sup>6</sup> If Basis rate is 0.33 to 0.5 oz/A or Basis Blend rate is 1.25 oz/A, alfalfa, sorghum, pea = 18 months; soybean, snap bean = 10 months; STS soybean = 1 month; spring oat = 9 months; if Basis rate is greater than 0.5 oz/A or Basis Blend rate is 2.5oz/A, cotton = 10 months and 18 months if greater than and less than 15 inches of rainfall or irrigation occur after application and prior to planting, respectively; STS soybean = 4 months; if Basis rate is 0.33 oz/A or Basis Blend rate is 0.825, soybean = 0.5 month.

<sup>7</sup> 8 months if 0.38 oz/A Beacon is applied.

<sup>8</sup> NR for IMI (IR/IT) or Clearfield (CL) varieties.

<sup>9</sup> Transplanted.

<sup>10</sup> Use safener with seed.

<sup>11</sup> Cotton may be planted no-till or strip-till after 14 or 21 days when applied at 1 oz/A or 1.5 to 2 oz/A, respectively. For winter wheat, at rates up to 2 oz/A, the rotation interval is 7 days for no-till or minimum-till wheat and 30 days for conventional-till wheat. At least 1 inch of rainfall/irrigation must occur between application and cotton, field corn, grain sorghum, tobacco, or wheat planting, or crop injury may occur. For alfalfa, clover, potato, and spring oats the rotation interval is 5 months if the soil is tilled prior to planting or 10 months if no tillage is performed prior to planting. At lower rates of Valor/Rowel/Chateau, rotation interval for many crops are reduced. Consult labels for more specific information.

<sup>12</sup> Command may be applied preemergence to cotton only if Di-Syston or Thimet insecticides are applied in furrow with the seed at planting.

<sup>13</sup> Corn hybrids that are classified as IMI-corn or as tolerant (IT) or resistant (IR) may be planted in the spring of the year following regardless of rainfall or time interval from chemical treatment to corn planting. Rotation interval varies by tillage type and use rate. Consult the label for specific rotation intervals.

<sup>14</sup> Rotation interval is shorter for STS soybean.

<sup>15</sup> Transplanted tobacco = 10 months if  $\leq 0.3$  oz/A.

<sup>16</sup> If Hornet WDG rate is < 4 oz/A, snap beans, peas, and some varieties of sweet corn = 10.5 months.

<sup>17</sup> If no more than 2 lb ai applied the previous year.

<sup>18</sup> Regardless of tillage, be sure to plant corn at least 1.5 inches deep and completely cover with soil.

<sup>19</sup> Cotton may be planted 9.5 months following Pursuit if all of the following criteria are met: Pursuit is applied to peanuts only; soil texture is sandy loam or loamy sand only; and greater than 16 inches of rainfall/irrigation is received following application of Pursuit through October of the application year.

<sup>20</sup> The rotation interval for the sweet corn varieties 'Merit', 'Carnival', and 'Sweet Success' is 15 months.

<sup>21</sup> Transplanted tobacco may be planted 10 months after application of 2.1 oz/A of Surveil. Tobacco in seeded nurseries may be planted 18 months after application of 2.1 oz/A of Surveil and following a successful field bioassay. At rates greater than 2.1 oz/A, a rotation interval of 30 months and a successful field bioassay are required.

<sup>22</sup> Rotation intervals based on soil pH less than 7.0. In Pennsylvania, rotation interval for clover, lima bean, muskmelon, onion, pepper, spring oat, squash, and white potato is 18, 30, 30, 30, 30, 30, 30, and 30 months, respectively. Consult seed corn agronomist regarding inbred sensitivity to Valor XLT/Rowel FX prior to planting inbred seed corn lines.

<sup>23</sup> If applied after June 1, rotating to crops other than corn (all types) may result in crop injury.

<sup>24</sup> For Bolt or non-Bolt soybean and minimum- or no-till field corn, if Afforia is used on coarse textured soils, such as sands and loamy sands, or on high-pH soils (>7.9), extend time to planting by 7 additional days. For minimum- or no-till wheat in the states of DE, MD, NJ, or VA, Afforia may be applied at a minimum 7 days before planting. Do not use on Durum wheat and do not irrigate between emergence and spike. Wheat must be planted at least 1 inch deep. Do not graze until wheat has reached 5 inches in height. For conventional-till field corn, grain sorghum, cotton, and wheat, at least 1 inch of rainfall/irrigation must occur between application and planting or crop injury may occur. For alfalfa, cabbage, clover, cucumber, lima bean, muskmelon, onion, pepper, pumpkin, spring oat, squash, sweet corn, tobacco, tomato, watermelon, and white potato, the rotation interval is 4 months if the soil is tilled prior to planting. If no tillage is performed prior to planting these crops, the rotation interval is extended to 8 months.

<sup>25</sup> Rotation interval for spring oat, or winter barley at 5.7 oz/A or greater rates is extended to 18 months. For winter wheat, at 5.7 oz/A or greater rates, the rotation interval is extended to 6 months.

<sup>26</sup> Seed corn inbred lines vary in sensitivity to herbicides; therefore, users should seek advice from seed corn agronomist regarding inbred sensitivity to Canopy Blend prior to planting inbred seed corn.

<sup>27</sup> For onion, the rotation interval for irrigated and nonirrigated is 8 and 18 months, respectively.

<sup>28</sup> For corn, if the original corn crop is lost, do not make a second application. Injury may occur to soybean planted the year following application on soils having a calcareous subsurface layer if products containing atrazine were used at rates greater than 0.75 lb/ai atrazine per acre in tank mixtures and/or sequentially with Resicore. If Resicore is applied after June 1, rotating to crops other than corn or grain sorghum the next spring may result in crop injury.

<sup>29</sup> NR for Clearfield corn (field and seed). For wheat, planting non-Clearfield cultivars in areas receiving less than 10 inches of precipitation from time of application up until wheat planting may result in wheat injury. Injury potential increases if less than normal precipitation occurs in the 2 months just after Varisto application. For barley, the rotation interval at pH > 6.2 and > 18 inches of rainfall/irrigation, pH < 6.2 and < 18 inches of rainfall/irrigation and with moldboard plowing, and pH < 6.2 and < 18 inches rainfall/irrigation and without moldboard plowing is 9, 9, and 18 months, respectively. For potato, the rotation interval at pH > 6.2 and > 18 inches of rainfall/irrigation and pH < 6.2 and < 18 inches of rainfall/irrigation is 9 and 18 months, respectively.

<sup>30</sup> Rotation information is unknown for this product. Contact manufacturer for recommendations.

<sup>31</sup> In Delaware and Virginia, a Special Local Needs Label 24(c) has approved a 3-month plant-back restriction for soybean after an application to winter wheat.

<sup>32</sup> NR for Enlist varieties.

<sup>33</sup> NR for Poast-Protected hybrids.